

# Reachability and Büchi games

Yu Cong

January 14, 2024

# Overview

1. Motivation & References
2. Reachability Game
3. Büchi Game

# Motivation & References

Motivation: Reachability and Büchi games are important in system verification and testing. Computing the winning set of Büchi games is a central problem in computer aided verification with a large number of applications.

## References:



John Smith (2012)

Title of the publication

*Journal Name* 12(3), 45 – 678.

# Reachability Game

A reachability game is a 2-player (namely P0 and P1) game on a directed finite graph.

Game graph: directed graph  $G(\{V_0 \cup V_1\}, E)$ . ( $\{V_0, V_1\}$  is a partition of  $V$ )

Target set: target set is  $T \subseteq \{V_0 \cup V_1\}$ .


A play  $P$  is a (finite or infinite) path in the game graph beginning at the initial vertex  $s$ . If  $v \in V_0$ , P0 moves along an outgoing edge of  $v$ . Otherwise, P1 takes the move.

Definition of winning: P0 wins if  $T \cap P \neq \emptyset$ , otherwise P1 wins.

Memoryless strategy: a strategy for P0 is a mapping  $\alpha : V_0 \rightarrow V$  that defines how P0 should extend the current play.


## Example for Reachability Game

Rectangle vertices are in  $V_1$ , circles are in  $V_0$ ;  
Vertices in  $T$  are red, the initial vertex  $v_I$  is blue.



A winning play for P0 is  $\{5, 3, 1\}$

# Algorithm for Reachability Game



- if  $s$  is in  $T$ , P0 wins;
- if  $s \in V_0$  and  $s$  has at least one outgoing edge to  $u \in T$ , P0 wins in one step;
- if  $s \in V_1$  and all of  $s$ 's outgoing edges go to  $u \in T$ , P0 wins in one step;

# Algorithm for Reachability Game

We defined Rank 0 and Rank 1 already, now we define Rank  $i$ .  
 $R_i := \{v \in V \mid \text{P0 can force a visit from } v \text{ to a vertex in } T \text{ in } i \text{ steps}\}$


Define Reachability set of  $T$  for P0,  $Reach(T, 0) := \bigcup_{i=1}^{n-1} R_i$

A vertex  $v \in R_i$ :

if  $v \in V_0$  and there is an edge  $e(v, u)$   $u \in R_{i-1}$ ;

if  $v \in V_1$  and for every edge  $e(v, u)$  we have  $u \in \bigcup_{j=0}^{i-1} R_j$ ;

# Algorithm for Reachability Game



- $R_0 = \{1, 2\};$
- $R_1 = \{5\};$
- $R_2 = \{3\};$
- $R_3 = \{4\};$
- $R_4 = \{6\};$

For simplicity, denote  $u \in R_k$  by  $\text{Rank}[u]=k$ .



# An $O(m)$ Algorithm for Reachability Game

---

## Algorithm 1: Reachability for P0

---

**Data:** game graph  $G$ , target set  $T$

**Result:** Rank[ $|V|$ ]

```

1  Q:= an empty queue;
2  Rank[ $|V|$ ],count[ $|V|$ ]:= all 0s array;
3  Q.push(T);
4  while Q is not empty do
5      u:=Q.front,Q.pop;
6      for  $e(v,u) \in E$  do
7          if  $v \in V_0$  and  $v$  has not been visited then
8              Rank[v]:=Rank[u]+1; Q.push( $\{v\}$ )
9          else if  $v \in V_1$  then
10             count[v]:=count[v]+1;
11             if count[v]=Out Degree of  $v$  then Rank[v]:=Rank[u]+1;
12                 Q.push( $\{v\}$ ) ;
13             end
14         end
15     end
16 end


```

---

Every edge is used at most once.

# Type

$T_1, T_2, \dots, T_k$  are disjoint subsets of  $V$ , now we want to compute Reachability of each one of them.



**Definition** A type of vertex  $x$  is a tuple  $(y_1, \dots, y_k)$ , where each  $x_i \in \{0, 1\}$ , such that  $y_i = 1$  iff  $x$  is in  $Reach(T_i, 0)$ .

# Compute Types

- Run reachability algorithm for every  $T_i$ ,  $O(km)$ ;
- Compute simultaneously.
- Can it be done in linear or nearly linear time?

# Minimum Base

The minimum base of  $T$  is the minimum subset of  $T$  which can generate the same Reachability set as  $T$ .

Computing the minimum base is NP-hard.

Set cover problem: Given a set  $S$  of  $n$  elements, a collection  $S_1, S_2, \dots, S_m$  of subsets of  $S$ , and a number  $K$ , does there exist a collection of at most  $k$  of these sets whose union is equal to all of  $S$ .

# Minimum Base


## Proof:

We prove that the decision problem for minimum base is NP-Complete.

The decision problem  $L$  is can we find a base with at most  $k$  vertices.

- 1  $L$  is in NP.
- 2 set cover problem(which is NP-Complete) can be reduced to  $L$  in polynomial time.
  - Construct a Reachability game graph  $G(V_0, E)$ . There are  $m$  vertices in  $T$  representing  $m$  subsets in set cover problem,  $n$  vertices not in  $T$  representing  $n$  elements in  $S$ .
  - If subset  $S_i$  contains element  $x_j$ , connect an edge from vertex representing  $S_i$  to vertex representing  $x_j$  in  $T$ .

# Minimum Base



$$S_1 = \{x_1, x_2\}$$

$$S_2 = \{x_1, x_3\}$$

So  $L$  is NP-Complete. The minimum base problem is NP-Hard.


# Büchi Game

**Definition** A **Büchi game** is a game  $\mathcal{G} = (G, s, T)$  where  $G$  is the Reachability game graph,  $V_i$  is an initial vertex,  $T \subseteq V$  is the target set as in Reachability game.

Play: The definition of play in Büchi Game is the same as in Reachability game.

Definition of winning: We assume the play  $P$  is infinite here. if there exists infinite many vertices  $v \in T$  in  $P$ , P0 wins. Otherwise P1 wins.


## Example for Büchi Game



P0 is always winning on this game graph.




# Algorithm for Büchi Game 1



If  $v \notin Reach(T, 0) \cup T$ ,  
 $v$  can not reach  $T$ , P0  
will lose.

Some vertices in  $T$  can  
not reach  
 $Reach(T, 0) \cup T$ , P0  
will also lose on these  
vertices.

# Algorithm for Büchi Game 1




$T_1 = \{v \in T \mid v \text{ can't reach } T \cup Reach(T, 0)\}$

Some vertices in  $T_2$  can only reach  $Reach(T, 0) \setminus Reach(T_2, 0)$

We find  $T_3 = \{v \in T_2 \mid v \text{ can't reach } T_2 \cup Reach(T_2, 0)\}$

# Algorithm for Büchi Game 1



We repeat this process until  $T_k$  does not shrink.

The remaining part of  $T_k \cup Reach(T_k, 0)$  is the winning set for P0.

# Algorithm for Büchi Game 1

- How to find  $T_1$

$$T_1 = \{v \in T \mid v \text{ can't reach } T \cup \text{Reach}(T, 0)\}$$

$$T_1 = \{v \in T \mid v \text{ can only reach } V \setminus \{T \cup \text{Reach}(T, 0)\}\}$$


P1 wants to reach  $V \setminus \{T \cup \text{Reach}(T, 0)\}$ , P0 tries to avoid  $V \setminus \{T \cup \text{Reach}(T, 0)\}$ .

compute  $\text{Reach}(V \setminus \{T \cup \text{Reach}(T, 0)\}, 1)$

- Time complexity

$O(m)$  to find  $T_i$ , at most  $O(n)$  times. Worst-case  $O(nm)$ .

## Algorithm for Büchi Game 2




Compute  $C_0$  and  $C_1$ .

$C_0$  is a set of vertices in  $V_0 \setminus T$  having all outgoing edges to vertices in  $V \setminus T$ .

$C_1$  is a set of vertices in  $V_1 \setminus T$  having an outgoing edge to vertices in  $V \setminus T$ .

Compute  
 $Reach(C_0 \cup C_1, 1)$

## Algorithm for Büchi Game 2




Some vertices in  $Reach(C_0 \cup C_1, 1)$  can "reach"  $T_1$ . ( $D$  in the left picture)

Compute  $Reach(T_1 \cup D, 0)$ .

$E = Reach(C_0 \cup C_1, 1) \setminus \{T_1 \cup D \cup Reach(T_1 \cup D, 0)\}$

$\{E \cup C_0 \cup C_1\} \setminus Reach(T_1 \cup D, 0)$  is the set of vertices which can't "reach"  $T$ .

## Algorithm for Büchi Game 2



$S = \{E \cup C_0 \cup C_1\} \setminus Reach(T_1 \cup D, 0)$  is the same as  $V \setminus \{T \cup Reach(T)\}$  in Algorithm 1.

Then we can compute  $Reach(S, 1)$  to delete some losing vertices for P0 in  $T$ .

Repeat the same process on  $G \setminus \{T \setminus Reach(S, 1)\}$

## Algorithm for Büchi Game 2

- Time complexity

Finding  $S$  needs  $O(m)$  time.

Also in the worst case we need to compute  $S$   $O(n)$  times.  
worst case  $O(nm)$ .